



ALTEC LANSING

User's guide

inMotion
im310





The lightning flash with arrowhead, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



Caution: To prevent the risk of electric shock, do not remove cover (or back). No user-serviceable parts inside. Refer servicing to qualified service personnel.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

CAUTION

To prevent electric shock do not use this (polarized) plug with an extension cord, receptacle or other outlet unless the blades can be fully inserted to prevent blade exposure.

WARNING

To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

IMPORTANT SAFETY INSTRUCTIONS

- Read these instructions.
- Keep these instructions.
- Heed all warnings.
- Follow all instructions.
- Do not use this apparatus near water – This apparatus shall not be exposed to dripping or splashing, and no objects filled with liquids, such as vases, shall be placed on the apparatus.
- Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions. The apparatus should not be situated on a bed, sofa, rug or similar surface that may block the ventilation openings. The apparatus must not be placed in a built-in installation, such as a closed bookcase or cabinet that may impede the flow of air through the ventilation openings. Ventilation should not be impeded by covering the openings with items such as newspapers, tablecloths, curtains, etc.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- No naked flame sources, such as lighted candles, should be placed on the apparatus.
- Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for the replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched – particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- Do not install in an area which impedes the access to the power plug. Disconnecting the power plug is the only way to completely remove power to the product and must be readily accessible at all times.
- Power source – Use only power supplies of the type specified in the operating instructions or as marked on the appliance. If a separate power supply is included with this apparatus, do not substitute with any other power supply – use only manufacturer-provided power supplies.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped. For service, refer to qualified service personnel, return to the dealer, or call the Altec Lansing service line for assistance.
- For products which incorporate batteries, please refer to local regulations for proper battery disposal.
- Only use attachments/accessories specified by the manufacturer.
- Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



Altec Lansing One Year Limited Warranty (Two-Year Limited Warranty In the European Union and Asia)

What Does The Warranty Cover?: Altec Lansing warrants that its products shall be free from defects in materials or workmanship, with the exceptions stated below.

What Is The Period Of Coverage?: For units purchased in European Union or Asia, this warranty runs for two years from the date of purchase. For units not purchased in Europe or Asia, this warranty runs for one year from the date of purchase. The term of any warranties implied by law shall expire when your limited warranty expires. Some states and/or Member States in the European Union do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

What Does The Warranty Not Cover?: This warranty does not cover any defect, malfunction or failure that occurs as a result of: improper installation; misuse or failure to follow the product directions; abuse; or use with improper, unintended or faulty equipment. (For information on proper installation, operation and use consult the manual supplied with the product. If you require a replacement manual, you may download a manual from www.alteclansing.com.) Also, consequential and incidental damages are not recoverable under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

What Will Altec Lansing Do To Correct The Problem?: Altec Lansing will, at its option, repair or replace any product that proves to be defective in material or workmanship. If your product is no longer being manufactured, or is out of stock, at its option, Altec Lansing may replace your product with a similar or better Altec Lansing product.

How To Get Warranty Service: To get a covered product repaired or replaced, you must contact Altec Lansing during the warranty period by email (csupport@alteclansing.com). You must include in your email, your name, address, email address, telephone number, date of purchase and a complete description of the problem you are experiencing. In the United States, you may alternatively contact Altec Lansing by telephone at 1-800-ALTEC88 — please be prepared to provide the same information. If the problem appears to be related to a defect in material or workmanship, Altec Lansing will provide you a return authorization and instructions for return shipment. Return shipments shall be at the customer's expense, and the return must be accompanied by the original proof of purchase. You should insure the shipment as appropriate because you are responsible for the product until it arrives at Altec Lansing.

How Will State Law Affect Your Rights?: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Please note that in the European Union, you as a consumer might have other legal rights under national legislation of European Union Member States governing the sale of Altec Lansing's goods. Those rights are not affected by this guarantee.

The above limited warranties and remedies are sole warranties and remedies available to purchaser, if, and to the extent, valid and enforceable under the applicable law.

Customer Service

The answers to most setup and performance questions can be found in the Troubleshooting guide. You can also consult the FAQs in the customer support section of our Web site at www.alteclansing.com. If you live in North America and still can't find the information you need, please call our customer service team for assistance before returning the speakers to your retailer under their return policy.

Tel: 800-258-3288

Email: csupport@alteclansing.com

If you live outside of North America, please visit our website at www.alteclansing.com and select your region to locate your country's distributor.

For the most up-to-date information, be sure to check our Web site at www.alteclansing.com.

International Distribution

International customers: For information regarding the distribution of Altec Lansing products in your country, please visit www.alteclansing.com and click on your region.

Disposal of Old Electrical & Electronic Equipment



This symbol on the product or on its packaging indicates that this product shall not be treated as household waste. Instead it shall be handed over to the applicable collection point for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help to conserve natural resources. For more detailed information about recycling of this product, please contact your local city office or your household waste disposal service.

inMotion iM310 Digital Speaker System

Portable Sound for a Compact Budget

Thank you for purchasing the Altec Lansing iM310 digital speaker system for iPod® – affordable, amazing sound for music lovers who listen with their eyes as well as their ears! This new addition to the inMotion family offers big sound with stylish portability. The iM310 provides outstanding acoustic volume and audio performance for your iPod/MP3 player previously unavailable at this size or value. With powerful, crystal-clear sound and surprisingly deep bass, the foldable design is ready to let you share your tunes anywhere you like!

Box Contents

- inMotion iM310 portable speaker system
- Docking adapters for iPod models
- Power supply
- User's guide and quick connect instructions

Made for:



- iPod touch
- iPod nano (3rd generation)
- iPod classic
- iPod nano (2nd generation)
- iPod with video
- iPod nano (1st generation)
- iPod with color display
- iPod with dock connector
- iPod mini

Placing the inMotion iM310

Open the inMotion iM310 by pressing the button on the front of the speaker system. Position the inMotion iM310 on a level surface, preferably close to you (within three feet).

Assembling the inMotion iM310

Dock your iPod by sliding your iPod on top of the iM310 docking station. If necessary, first install the docking adapter that came with your iPod or with this unit. While the docking adapter is not required for proper functioning of your iPod and iM310, it will provide a better fit.

Note: Alternate audio sources – such as non-dockable iPod models, CD players, MP3 players, portable DVD players, and laptops – can also be connected to the inMotion iM310. For more information, see the “Connecting to alternate audio source” section.

Power

Use one of the following two options to power your inMotion iM310:

AC (Wall outlet) Power

Insert the barrel connector from the power supply into the DC connector on the rear of the inMotion iM310. After this connection is made, insert the power supply into a wall outlet.

DC (Battery) Power

Install three AA batteries (not included) into the battery compartment on the bottom of the inMotion iM310. Make sure the batteries are installed as illustrated in the battery compartment.

Start Playing

1. Turn on your iPod.
2. Turn on the inMotion iM310 by pushing the power button located on the left side of the top of the inMotion iM310. The indicator light turns on.

Note: To avoid hearing a popping sound when you turn on your inMotion iM310, turn your iPod on first.

Power Off

Turn off the inMotion iM310 by pushing the power button located on the left side of the top of the inMotion iM310. The indicator light shuts off.

Auto Shut-down (Standby)

The inMotion iM310 automatically shuts down if no audio is detected for three minutes.

NOTE: The Auto Shut-down (Standby) feature is active during battery-only operation. If the AC wall adapter is used, the inMotion iM310 will remain on as long as the power switch is in the "On" position.

Connecting to alternate audio source

The inMotion iM310 system includes an input jack that allows you to connect to alternate audio sources, such as non-dockable iPod models, CD players, MP3 players, portable DVD players, and laptops. To connect the iM310 to an alternate audio source, follow the steps below.

1. Locate a 3.5 mm stereo cable (sold separately).
2. Connect one end of the 3.5 mm stereo cable into the auxiliary input jack (AUX) located on the back of the inMotion iM310 system, and the other end to the headphone or line out jack on your alternate audio device.
3. Set the volume on the audio source at mid-level.
4. Set the volume on the inMotion iM310 at minimum level and adjust upward to a comfortable listening level.

Volume

The slider on the top of the inMotion iM310 is the master volume control for the speaker system. Move the slider to the right to increase the volume or to the left to decrease the volume.

Troubleshooting

Symptom	Possible Problem	Solution
No power indicator light is on (AC Operation).	The iM310 may not be properly connected to a wall outlet.	See proper AC Power instructions in the "Power" section of this manual.
	The surge protector (if used) may not be powered on.	Make sure the surge protector is switched on.
	The wall outlet may not be functioning.	Plug another device into the same wall outlet to confirm the outlet is working.
	The power may not be turned on.	See instructions in the "Start Playing" section of this manual.
No power indicator light is on (Battery Operation).	The batteries may not be installed properly.	See proper DC Power instructions in the "Power" section of this manual.
	The power may not be turned on.	See instructions in the "Start Playing" section of this manual.
There is no sound is coming from speakers.	The volume may be set too low.	To increase the volume, see instructions in the "Volume" section of this manual.
		If using an alternate audio source, see instructions regarding volume level in the "Connecting to alternate audio source" section of this manual.
	The iPod may not be correctly seated into the docking station.	Turn off the iPod, remove it from the docking station, reseal it, and turn it on again.
	If using an alternate audio source, the audio source may not be properly connected to the inMotion iM310 or there may be a problem with the alternate audio source.	<ul style="list-style-type: none"> • See instructions in the "Connecting to alternate audio source" section of this manual. • Trying using another audio source.
There is a crackling sound coming from speakers.	The iPod may not be correctly seated into the docking station.	Turn off the iPod, remove it from the docking station, reseal it, and turn it on again.
	If using an alternate audio source, the audio source may not be properly connected to the inMotion iM310 or there may be a problem with the alternate audio source.	<ul style="list-style-type: none"> • See instructions in the "Connecting to alternate audio source" section of this manual. • Trying using another audio source.

Symptom	Possible Problem	Solution
There is a crackling sound coming from speakers (when connected to PC or laptop).	The operating system's volume level may be set too high.	Check the operating system volume level and decrease it if necessary.
The sound is distorted.	The inMotion iM310's volume level may be set too high.	To lower the volume, see instructions in the "Volume" section of this manual.
There is radio interference.	The unit may be too close to a radio tower.	Move the unit to see if the interference goes away.
There is intermittent buzzing	The unit may be located too close to a GSM cell phone.	Move the GSM cell phone away from the unit.



ALTEC LANSING®

"Made for iPod" means that an electronic accessory has been designed to connect specifically to iPod and has been certified by the developer to meet Apple performance standards.

Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

Patents pending.

© 2008 Plantronics, Inc. All rights reserved.

Altec, Altec Lansing, inMotion, and the Altec Lansing inMotion logo are registered trademarks or trademarks of Altec Lansing.

Plantronics, the logo design and Sound Innovation are trademarks or registered trademarks of Plantronics, Inc.

iPod is a trademark of Apple Inc., registered in the U.S. and other countries.

All other trademarks appearing herein are the property of their respective owners.

Designed by Altec Lansing in the USA. Made in China.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareillage digital de Classe B est conforme au ICES-003 canadien.

HEADQUARTERS: 535 Rte. 6 & 209, Milford, PA 18337-0277 • 800-ALTEC-88 • 570-296-4434 • Fax 570-296-6887

EUROPE: 13 Rue Beaumont, L-1219 Luxembourg, Luxembourg

ASIA/PACIFIC: 25 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong

Engineered in USA. Made in China

A12785 R01

